

20-OCT-09  
10:31:49

GEORGIA DEPARTMENT OF TRANSPORTATION  
PRECONSTRUCTION DIVISION - OFFICE OF BRIDGE & STRUCTURAL DESIGN  
LIVE LOAD CASE PROGRAM  
REVISED: JUNE 26, 2008

PROB. NO. LL01

73.20' CURB-TO-CURB; 10 BEAMS; 141.50' AVERAGE SPAN

BRIDGE WIDTH	X1	X2	CENTER LINE DISTANCE	# OF BEAMS	REACTION FORCE	MAXIMUM # OF TRUCKS	# OF COLUMNS	COLUMN WIDTH	SKEW ANGLE
76.450	3.625	3.625	38.225	10	69.228	6	3	5.000	0

D1	D2	D3	D4	D5	D6	D7	D8	D9	D10	D11	D12	D13	D14	D15	D16	D17	D18	D19	D20
3.625	7.689	7.689	7.689	7.689	7.689	7.689	7.689	7.689	7.689										

XCOL1	XCOL2	XCOL3	XCOL4	XCOL5
11.000	27.225	27.225		

LIVE LOAD CASE # 1 1 TRUCKS

\* \*  
\* \*  
\* \*  
\*\*\* \*\*  
\* \*

I	I	I	I	I	I	I	I	I	I
I	I	I	I	I	I	I	I	I	I
I	I	I	I	I	I	I	I	I	I
I	I	I	I	I	I	I	I	I	I
I	I	I	I	I	I	I	I	I	I

BEAM	WHEEL FRACTION	P-LOAD
1	1.2197	84.435
2	0.7803	54.021
3	0.0000	0.000
4	0.0000	0.000
5	0.0000	0.000
6	0.0000	0.000
7	0.0000	0.000
8	0.0000	0.000
9	0.0000	0.000
10	0.0000	0.000

LIVE LOAD CASE # 2 2 TRUCKS

\* \* \* \*  
\* \* \* \*  
\* \* \* \*  
\*\*\* \*\* \* \*  
\* \* \* \*

I	I	I	I	I	I	I	I	I	I
I	I	I	I	I	I	I	I	I	I
I	I	I	I	I	I	I	I	I	I
I	I	I	I	I	I	I	I	I	I
I	I	I	I	I	I	I	I	I	I

BEAM	WHEEL FRACTION	P-LOAD
1	1.2197	84.435
2	1.4798	102.442
3	1.2197	84.435
4	0.0809	5.600
5	0.0000	0.000
6	0.0000	0.000
7	0.0000	0.000
8	0.0000	0.000
9	0.0000	0.000
10	0.0000	0.000

LIVE LOAD CASE # 3 3 TRUCKS

\* \* \* \* \*  
\* \* \* \* \*  
\* \* \* \* \*  
\*\*\* \*\* \* \*  
\* \* \* \*

I	I	I	I	I	I	I	I	I	I
I	I	I	I	I	I	I	I	I	I
I	I	I	I	I	I	I	I	I	I
I	I	I	I	I	I	I	I	I	I
I	I	I	I	I	I	I	I	I	I

BEAM	WHEEL FRACTION	P-LOAD
1	1.2197	84.435
2	1.4798	102.442
3	1.6185	112.049
4	1.3006	90.035
5	0.3815	26.407
6	0.0000	0.000
7	0.0000	0.000
8	0.0000	0.000
9	0.0000	0.000
10	0.0000	0.000

LIVE LOAD CASE # 4 4 TRUCKS



10 1.2194 84.417

LIVE LOAD CASE # 8 2 TRUCKS

\* \* \* \*  
\* \* \* \*  
\* \* \* \*  
\*\*\* \*\* \*\* \*\*  
\* \* \* \*

I I I I I I I I I I  
I I I I I I I I I I  
I I I I I I I I I I  
I I I I I I I I I I  
I I I I I I I I I I

BEAM	WHEEL FRACTION	P-LOAD
1	0.0000	0.000
2	0.0000	0.000
3	0.0000	0.000
4	0.0000	0.000
5	0.0000	0.000
6	0.0000	0.000
7	0.0810	5.609
8	1.2197	84.435
9	1.4799	102.451
10	1.2194	84.417

LIVE LOAD CASE # 9 3 TRUCKS

\* \* \* \*  
\* \* \* \*  
\* \* \* \*  
\*\*\* \*\* \*\* \*\*  
\* \* \* \*

I I I I I I I I I I  
I I I I I I I I I I  
I I I I I I I I I I  
I I I I I I I I I I  
I I I I I I I I I I

BEAM	WHEEL FRACTION	P-LOAD
1	0.0000	0.000
2	0.0000	0.000
3	0.0000	0.000
4	0.0000	0.000
5	0.0000	0.000
6	0.3816	26.416
7	1.3007	90.044
8	1.6184	112.040
9	1.4799	102.451
10	1.2194	84.417

LIVE LOAD CASE # 10 4 TRUCKS

\* \* \* \*  
\* \* \* \*  
\* \* \* \*  
\*\*\* \*\* \*\* \*\*  
\* \* \* \*

I I I I I I I I I I  
I I I I I I I I I I  
I I I I I I I I I I  
I I I I I I I I I I  
I I I I I I I I I I

BEAM	WHEEL FRACTION	P-LOAD
1	0.0000	0.000
2	0.0000	0.000
3	0.0000	0.000
4	0.0000	0.000
5	0.6821	47.223
6	1.6012	110.851
7	1.3989	96.842
8	1.6184	112.040
9	1.4799	102.451
10	1.2194	84.417

LIVE LOAD CASE # 11 5 TRUCKS

\* \* \* \*  
\* \* \* \*  
\* \* \* \*  
\*\*\* \*\* \*\* \*\*  
\* \* \* \*

I I I I I I I I I I  
I I I I I I I I I I  
I I I I I I I I I I  
I I I I I I I I I I  
I I I I I I I I I I

BEAM	WHEEL FRACTION	P-LOAD
1	0.0000	0.000
2	0.0000	0.000
3	0.0000	0.000
4	1.1851	82.040
5	1.4971	103.639

6	1.6012	110.851
7	1.3989	96.842
8	1.6184	112.040
9	1.4799	102.451
10	1.2194	84.417

LIVE LOAD CASE # 12 6 TRUCKS

```

* * * * *
* * * * *
* * * * *
*** **
* * * * *

```

I	I	I	I	I	I	I	I	I	I
I	I	I	I	I	I	I	I	I	I
I	I	I	I	I	I	I	I	I	I
I	I	I	I	I	I	I	I	I	I
I	I	I	I	I	I	I	I	I	I

BEAM	WHEEL FRACTION	P-LOAD
1	0.0000	0.000
2	0.2833	19.610
3	1.2197	84.435
4	1.6821	116.451
5	1.4971	103.639
6	1.6012	110.851
7	1.3989	96.842
8	1.6184	112.040
9	1.4799	102.451
10	1.2194	84.417

LIVE LOAD CASE # 13 1 TRUCKS

```

* *
* *
*** **
* *

```

I	I	I	I	I	I	I	I	I	I
I	I	I	I	I	I	I	I	I	I
I	I	I	I	I	I	I	I	I	I
I	I	I	I	I	I	I	I	I	I
I	I	I	I	I	I	I	I	I	I

BEAM	WHEEL FRACTION	P-LOAD
1	0.0000	0.000
2	0.0000	0.000
3	0.0000	0.000
4	0.3902	27.011
5	1.2197	84.435
6	0.3902	27.011
7	0.0000	0.000
8	0.0000	0.000
9	0.0000	0.000
10	0.0000	0.000

LIVE LOAD CASE # 14 2 TRUCKS

```

* * * *
* * * *
* * * *
*** **
* * * *

```

I	I	I	I	I	I	I	I	I	I
I	I	I	I	I	I	I	I	I	I
I	I	I	I	I	I	I	I	I	I
I	I	I	I	I	I	I	I	I	I
I	I	I	I	I	I	I	I	I	I

BEAM	WHEEL FRACTION	P-LOAD
1	0.0000	0.000
2	0.0000	0.000
3	0.6907	47.818
4	1.6098	111.445
5	1.3093	90.638
6	0.3902	27.011
7	0.0000	0.000
8	0.0000	0.000
9	0.0000	0.000
10	0.0000	0.000

LIVE LOAD CASE # 15 3 TRUCKS

```

* * * *
* * * *
* * * *
*** **
* * * *

```

I	I	I	I	I	I	I	I	I	I
I	I	I	I	I	I	I	I	I	I
I	I	I	I	I	I	I	I	I	I
I	I	I	I	I	I	I	I	I	I
I	I	I	I	I	I	I	I	I	I

BEAM	WHEEL FRACTION	P-LOAD
1	0.0000	0.000

2	0.0000	0.000
3	0.6907	47.818
4	1.6098	111.445
5	1.3989	96.842
6	1.6098	111.445
7	0.6907	47.818
8	0.0000	0.000
9	0.0000	0.000
10	0.0000	0.000

LIVE LOAD CASE # 16 4 TRUCKS

```

* * * * *
* * * * *
* * * * *
*** ** ** ** **
* * * * *

```

```

-----
I I I I I I I I I I
I I I I I I I I I I
I I I I I I I I I I
I I I I I I I I I I
I I I I I I I I I I

```

BEAM	WHEEL FRACTION	P-LOAD
1	0.0000	0.000
2	1.2022	83.228
3	1.4885	103.045
4	1.6098	111.445
5	1.3989	96.842
6	1.6098	111.445
7	0.6907	47.818
8	0.0000	0.000
9	0.0000	0.000
10	0.0000	0.000

LIVE LOAD CASE # 17 5 TRUCKS

```

* * * * *
* * * * *
* * * * *
*** ** ** ** *
* * * * *

```

```

-----
I I I I I I I I I I
I I I I I I I I I I
I I I I I I I I I I
I I I I I I I I I I
I I I I I I I I I I

```

BEAM	WHEEL FRACTION	P-LOAD
1	0.0000	0.000
2	1.2022	83.228
3	1.4885	103.045
4	1.6098	111.445
5	1.3989	96.842
6	1.6098	111.445
7	1.4885	103.045
8	1.2022	83.228
9	0.0000	0.000
10	0.0000	0.000

LIVE LOAD CASE # 18 6 TRUCKS

```

* * * * *
* * * * *
* * * * *
*** ** ** ** *
* * * * *

```

```

-----
I I I I I I I I I I
I I I I I I I I I I
I I I I I I I I I I
I I I I I I I I I I
I I I I I I I I I I

```

BEAM	WHEEL FRACTION	P-LOAD
1	0.0000	0.000
2	1.2022	83.228
3	1.4885	103.045
4	1.6098	111.445
5	1.3989	96.842
6	1.6098	111.445
7	1.4885	103.045
8	1.6907	117.046
9	1.2197	84.435
10	0.2918	20.204

LIVE LOAD CASE # 19 2 TRUCKS

```

* * * *
* * * *
* * * *
*** ** **
* * * *

```

```

-----
I I I I I I I I I I
I I I I I I I I I I
I I I I I I I I I I
I I I I I I I I I I

```

BEAM	WHEEL	FRACTION	P-LOAD
1	0.0000	0.000	0.000
2	0.0000	0.000	0.000
3	0.0000	0.000	0.000
4	0.5405	37.419	
5	1.4596	101.046	
6	1.4595	101.037	
7	0.5404	37.410	
8	0.0000	0.000	
9	0.0000	0.000	
10	0.0000	0.000	

LIVE LOAD CASE # 20 3 TRUCKS

```

* * * * *
* * * * *
* * * * *
*** ** ** ** ** ** **
* * * * *

```

I	I	I	I	I	I	I	I	I	I
I	I	I	I	I	I	I	I	I	I
I	I	I	I	I	I	I	I	I	I
I	I	I	I	I	I	I	I	I	I
I	I	I	I	I	I	I	I	I	I

BEAM	WHEEL	FRACTION	P-LOAD
1	0.0000	0.000	0.000
2	0.0000	0.000	0.000
3	0.9018	62.430	
4	1.6387	113.444	
5	1.4596	101.046	
6	1.4595	101.037	
7	0.5404	37.410	
8	0.0000	0.000	
9	0.0000	0.000	
10	0.0000	0.000	

LIVE LOAD CASE # 21 4 TRUCKS

```

* * * * *
* * * * *
* * * * *
*** ** ** ** *
* * * * *

```

I	I	I	I	I	I	I	I	I	I
I	I	I	I	I	I	I	I	I	I
I	I	I	I	I	I	I	I	I	I
I	I	I	I	I	I	I	I	I	I
I	I	I	I	I	I	I	I	I	I

BEAM	WHEEL	FRACTION	P-LOAD
1	0.0000	0.000	0.000
2	0.0000	0.000	0.000
3	0.9018	62.430	
4	1.6387	113.444	
5	1.4596	101.046	
6	1.4595	101.037	
7	1.6388	113.453	
8	0.9015	62.412	
9	0.0000	0.000	
10	0.0000	0.000	

LIVE LOAD CASE # 22 5 TRUCKS

```

* * * * *
* * * * *
* * * * *
*** ** ** ** *
* * * * *

```

I	I	I	I	I	I	I	I	I	I
I	I	I	I	I	I	I	I	I	I
I	I	I	I	I	I	I	I	I	I
I	I	I	I	I	I	I	I	I	I
I	I	I	I	I	I	I	I	I	I

BEAM	WHEEL	FRACTION	P-LOAD
1	0.1416	9.805	
2	1.2197	84.435	
3	1.5405	106.647	
4	1.6387	113.444	
5	1.4596	101.046	
6	1.4595	101.037	
7	1.6388	113.453	
8	0.9015	62.412	
9	0.0000	0.000	
10	0.0000	0.000	

LIVE LOAD CASE # 23 6 TRUCKS

```

* * * * *
* * * * *
* * * * *
*** ** ** ** *
* * * * *

```

I I I I I I I I I I
I I I I I I I I I I
I I I I I I I I I I
I I I I I I I I I I
I I I I I I I I I I

Table with 4 columns: BEAM, WHEEL, FRACTION, P-LOAD. Rows 1-10.

LIVE LOAD CASE # 24 2 TRUCKS

\* \* \* \*
\* \* \* \*
\*\*\* \*\*\*
\* \*

I I I I I I I I I I
I I I I I I I I I I
I I I I I I I I I I
I I I I I I I I I I
I I I I I I I I I I

Table with 4 columns: BEAM, WHEEL, FRACTION, P-LOAD. Rows 1-10.

LIVE LOAD CASE # 25 3 TRUCKS

\* \* \* \*
\* \* \* \*
\*\*\* \*\*\*
\* \*

I I I I I I I I I I
I I I I I I I I I I
I I I I I I I I I I
I I I I I I I I I I
I I I I I I I I I I

Table with 4 columns: BEAM, WHEEL, FRACTION, P-LOAD. Rows 1-10.

LIVE LOAD CASE # 26 4 TRUCKS

\* \* \* \*
\* \* \* \*
\*\*\* \*\*\*
\* \*

I I I I I I I I I I
I I I I I I I I I I
I I I I I I I I I I
I I I I I I I I I I
I I I I I I I I I I

Table with 4 columns: BEAM, WHEEL, FRACTION, P-LOAD. Rows 1-10.

LIVE LOAD CASE # 27 5 TRUCKS

\* \* \* \*
\* \* \* \*

```

*      *      *      *      *      *
***    ***    ***    ***    ***
*      *      *      *      *
-----
I      I      I      I      I      I      I      I      I      I
I      I      I      I      I      I      I      I      I      I
I      I      I      I      I      I      I      I      I      I
I      I      I      I      I      I      I      I      I      I
I      I      I      I      I      I      I      I      I      I

BEAM   WHEEL FRACTION   P-LOAD
1      1.2197          84.435
2      1.4798          102.442
3      1.6185          112.049
4      1.3006          90.035
5      0.3815          26.407
6      0.0000          0.000
7      0.0810          5.609
8      1.2197          84.435
9      1.4799          102.451
10     1.2194          84.417
    
```

LIVE LOAD CASE # 28                      6 TRUCKS

```

*      *      *      *      *      *      *      *      *      *
*      *      *      *      *      *      *      *      *      *
*      *      *      *      *      *      *      *      *      *
***    ***    ***    ***    ***    ***    ***    ***    ***
*      *      *      *      *      *      *      *      *      *
-----
I      I      I      I      I      I      I      I      I      I
I      I      I      I      I      I      I      I      I      I
I      I      I      I      I      I      I      I      I      I
I      I      I      I      I      I      I      I      I      I
I      I      I      I      I      I      I      I      I      I

BEAM   WHEEL FRACTION   P-LOAD
1      1.2197          84.435
2      1.4798          102.442
3      1.6185          112.049
4      1.3006          90.035
5      0.3815          26.407
6      0.3816          26.416
7      1.3007          90.044
8      1.6184          112.040
9      1.4799          102.451
10     1.2194          84.417
    
```

20-OCT-09  
10:31:49

GEORGIA DEPARTMENT OF TRANSPORTATION  
PRECONSTRUCTION DIVISION - OFFICE OF BRIDGE & STRUCTURAL DESIGN  
SUMMARY OF THE LIVE LOAD CASE PROGRAM  
REVISED: JUNE 26, 2008

PROB. NO. LL01

73.20' CURB-TO-CURB; 10 BEAMS; 141.50' AVERAGE SPAN

BRIDGE WIDTH	X1	X2	CENTER LINE DISTANCE	# OF BEAMS	REACTION FORCE	MAXIMUM # OF TRUCKS	# OF COLUMNS	COLUMN WIDTH	SKEW ANGLE
76.450	3.625	3.625	38.225	10	69.228	6	3	5.000	0

D1	D2	D3	D4	D5	D6	D7	D8	D9	D10	D11	D12	D13	D14	D15	D16	D17	D18	D19	D20
3.625	7.689	7.689	7.689	7.689	7.689	7.689	7.689	7.689	7.689										

XCOL1	XCOL2	XCOL3	XCOL4	XCOL5
11.000	27.225	27.225		

	NO. OF TRUCKS	BEAM 1	BEAM 2	BEAM 3	BEAM 4	BEAM 5	BEAM 6	BEAM 7	BEAM 8	BEAM 9	BEAM 10
LL CASE 1	1	84.435	54.021	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
LL CASE 2	2	84.435	102.442	84.435	5.600	0.000	0.000	0.000	0.000	0.000	0.000
LL CASE 3	3	84.435	102.442	112.049	90.035	26.407	0.000	0.000	0.000	0.000	0.000
LL CASE 4	4	84.435	102.442	112.049	96.842	110.842	47.214	0.000	0.000	0.000	0.000
LL CASE 5	5	84.435	102.442	112.049	96.842	110.842	103.648	82.022	0.000	0.000	0.000
LL CASE 6	6	84.435	102.442	112.049	96.842	110.842	103.648	116.442	84.435	19.601	0.000
LL CASE 7	1	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	54.039	84.417
LL CASE 8	2	0.000	0.000	0.000	0.000	0.000	0.000	5.609	84.435	102.451	84.417
LL CASE 9	3	0.000	0.000	0.000	0.000	0.000	26.416	90.044	112.040	102.451	84.417
LL CASE 10	4	0.000	0.000	0.000	0.000	47.223	110.851	96.842	112.040	102.451	84.417
LL CASE 11	5	0.000	0.000	0.000	82.040	103.639	110.851	96.842	112.040	102.451	84.417
LL CASE 12	6	0.000	19.610	84.435	116.451	103.639	110.851	96.842	112.040	102.451	84.417
LL CASE 13	1	0.000	0.000	0.000	27.011	84.435	27.011	0.000	0.000	0.000	0.000
LL CASE 14	2	0.000	0.000	47.818	111.445	90.638	27.011	0.000	0.000	0.000	0.000
LL CASE 15	3	0.000	0.000	47.818	111.445	96.842	111.445	47.818	0.000	0.000	0.000
LL CASE 16	4	0.000	83.228	103.045	111.445	96.842	111.445	47.818	0.000	0.000	0.000
LL CASE 17	5	0.000	83.228	103.045	111.445	96.842	111.445	103.045	83.228	0.000	0.000

LL-73-10-142.OUT

LL CASE 18	6	0.000	83.228	103.045	111.445	96.842	111.445	103.045	117.046	84.435	20.204
LL CASE 19	2	0.000	0.000	0.000	37.419	101.046	101.037	37.410	0.000	0.000	0.000
LL CASE 20	3	0.000	0.000	62.430	113.444	101.046	101.037	37.410	0.000	0.000	0.000
LL CASE 21	4	0.000	0.000	62.430	113.444	101.046	101.037	113.453	62.412	0.000	0.000
LL CASE 22	5	9.805	84.435	106.647	113.444	101.046	101.037	113.453	62.412	0.000	0.000
LL CASE 23	6	9.805	84.435	106.647	113.444	101.046	101.037	113.453	106.638	84.435	9.796
LL CASE 24	2	84.435	54.021	0.000	0.000	0.000	0.000	0.000	0.000	54.039	84.417
LL CASE 25	3	84.435	102.442	84.435	5.600	0.000	0.000	0.000	0.000	54.039	84.417
LL CASE 26	4	84.435	102.442	84.435	5.600	0.000	0.000	5.609	84.435	102.451	84.417
LL CASE 27	5	84.435	102.442	112.049	90.035	26.407	0.000	5.609	84.435	102.451	84.417
LL CASE 28	6	84.435	102.442	112.049	90.035	26.407	26.416	90.044	112.040	102.451	84.417

FOR PIER PROGRAM INPUT

61LL 1 1 84434	0	54021	0	0	0	0	0	0	0	0	0
62	0	0	0	0	0	0	0	0	0	0	0
61LL 2 2 84434	0102441	0	84434	5600	0	0	0	0	0	0	0
62	0	0	0	0	0	0	0	0	0	0	0
61LL 3 3 84434	0102441	0112048	90035	26407	0	0	0	0	0	0	0
62	0	0	0	0	0	0	0	0	0	0	0
61LL 4 4 84434	0102441	0112048	96841110842	0	0	47214	0	0	0	0	0
62	0	0	0	0	0	0	0	0	0	0	0
61LL 5 5 84434	0102441	0112048	96841110842	0	0103648	82021	0	0	0	0	0
62	0	0	0	0	0	0	0	0	0	0	0
61LL 6 6 84434	0102441	0112048	96841110842	0	0103648116442	84434	0	0	0	0	0
62	0	19600	0	0	0	0	0	0	0	0	0
61LL 7 1	0	0	0	0	0	0	0	0	0	0	0
62	0	54039	0	84416	0	0	0	0	0	0	0
61LL 8 2	0	0	0	0	0	0	0	0	0	5609	84434
62	0102451	0	84416	0	0	0	0	0	0	0	0
61LL 9 3	0	0	0	0	0	0	0	0	0	26416	90044112039
62	0102451	0	84416	0	0	0	0	0	0	0	0
61LL10 4	0	0	0	0	0	0	47223	0	0110851	96841112039	0
62	0102451	0	84416	0	0	0	0	0	0	0	0
61LL11 5	0	0	0	0	0	82040103639	0	0	0110851	96841112039	0
62	0102451	0	84416	0	0	0	0	0	0	0	0
61LL12 6	0	0	19609	0	84434116451103639	0	0	0	0110851	96841112039	0
62	0102451	0	84416	0	0	0	0	0	0	0	0
61LL13 1	0	0	0	0	0	27010	84434	0	0	27010	0
62	0	0	0	0	0	0	0	0	0	0	0
61LL14 2	0	0	0	0	0	47817111445	90638	0	0	27010	0
62	0	0	0	0	0	0	0	0	0	0	0
61LL15 3	0	0	0	0	0	47817111445	96841	0	0111445	47817	0
62	0	0	0	0	0	0	0	0	0	0	0
61LL16 4	0	0	83228	0103045111445	96841	0	0	0111445	47817	0	0
62	0	0	0	0	0	0	0	0	0	0	0
61LL17 5	0	0	83228	0103045111445	96841	0	0	0111445103045	83228	0	0
62	0	0	0	0	0	0	0	0	0	0	0
61LL18 6	0	0	83228	0103045111445	96841	0	0	0111445103045117045	0	0	0
62	0	84434	0	20203	0	0	37418101046	0	0101037	37409	0
61LL19 2	0	0	0	0	0	0	0	0	0	0	0
62	0	0	0	0	0	0	0	0	0	0	0
61LL20 3	0	0	0	0	0	62430113444101046	0	0	0101037	37409	0
62	0	0	0	0	0	0	0	0	0	0	0
61LL21 4	0	0	0	0	0	62430113444101046	0	0	0101037113453	62412	0
62	0	0	0	0	0	0	0	0	0	0	0
61LL22 5	9804	0	84434	0106646113444101046	0	0	0	0101037113453	62412	0	0
62	0	0	0	0	0	0	0	0	0	0	0
61LL23 6	9804	0	84434	0106646113444101046	0	0	0	0101037113453106637	0	0	0
62	0	84434	0	9795	0	0	0	0	0	0	0
61LL24 2	84434	0	54021	0	0	0	0	0	0	0	0
62	0	54039	0	84416	0	0	0	0	0	0	0
61LL25 3	84434	0102441	0	84434	5600	0	0	0	0	0	0
62	0	54039	0	84416	0	0	0	0	0	0	0
61LL26 4	84434	0102441	0	84434	5600	0	0	0	0	5609	84434
62	0	102451	0	84416	0	0	0	0	0	0	0
61LL27 5	84434	0102441	0112048	90035	26407	0	0	0	0	5609	84434
62	0	102451	0	84416	0	0	0	0	0	0	0
61LL28 6	84434	0102441	0112048	90035	26407	0	0	26416	90044112039	0	0
62	0	102451	0	84416	0	0	0	0	0	0	0